
Title: METHOD FOR FORMING THIN FILM PATTERN, THIN FILM MANUFACTURING DEVICE, CONDUCTIVE THIN FILM WIRING, ELECTRO-OPTIC DEVICE, ELECTRONIC APPARATUS, AND NON-CONTACT CARD MEDIUM Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567



Atty. Ref.: 9319G-000567






FIG. 2B




Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

FIG. 3



Title: METHOD FOR FORMING THIN FILM PATTERN, THIN FILM MANUFACTURING DEVICE, CONDUCTIVE THIN FILM WIRING, ELECTRO-OPTIC DEVICE, ELECTRONIC APPARATUS, AND NON-CONTACT CARD MEDIUM Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

4/18



Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

5/18

FIG. 5A




FIG. 5B





FIG. 5C



Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

FIG. 6A





FIG. 6B



7/18







FIG. 7B



Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

8/18







FIG. 8B

(b)



Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

FIG. 9





FIG. 10





Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

10/18

FIG. 11A


FIG. 11B





Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

FIG. 12



12/18

FIG. 13A







FIG. 13B



13/18



14/18



15/18







FIG. 16B






Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

FIG. 17



17/18



CONTACT ANGLE [°]

Inventor(s): Hironori HASEI et al Atty. Ref.: 9319G-000567

18/18

FIG. 19A FIG. 19B